



STATIX ELECTRIC

TVISI
GROUP

“Go faster and cleaner with electric scooters!”



HIGH SPEED 2 WHEELER

www.statixelectrics.com



STATIX ELECTRIC

SPECIFICATION

Max Speed	95km/hr
Mileage@ 28AH Battery	175 kms/charge*
Seating Capacity	Driver + 1 Passenger
Wheel Size (Front & Rear)	90x 100 - 17in
Motor Details	2500 W BLDC Hub
Front & Rear Brakes	Double Disc
Speedometer	LED Based Panel
Starting System	Electric Start
Motor Input Voltage	60V / 72V
Controller	BLDC 40T / 60V / 72V
Batteries	60/72V / 40AH
Batteries Type	Lithium
Ground Clearance	200mm

ACCESSORIES

First Aid Kit	Yes
Battery Clamping Kit	Yes
Helmet	Yes
ORVM	Yes
Foot mat	NA
Leg Guard Set	Optional
Foot Rest	Optional

NEO



www.statixelectrics.com



STATIX ELECTRIC

SPECIFICATION

Max Speed	65km/hr
Mileage@ 28AH Battery	120 kms/charge*
Seating Capacity	Driver + 1 Passenger
Wheel Size (Front & Rear)	90x 100 - 12in
Motor Details	BLDC Hub Motor
Front & Rear Brakes	ABS
Speedometer	LED Based Panel
Starting System	Electric Start
Motor Input Voltage	48V / 60V
Controller	BLDC 18T / 48V / 60V
Batteries	48V / 34AH
Batteries Type	Lithium
Ground Clearance	150mm

ACCESSORIES

First Aid Kit	Yes
Battery Clamping Kit	Yes
Helmet	Yes
ORVM	Yes
Foot mat	Yes
Leg Guard Set	Optional
Foot Rest	Optional

STATIX M



www.statixelectrics.com



STATIX ELECTRIC

SPECIFICATION

Max Speed	65km/hr
Mileage@ 28AH Battery	120 kms/charge*
Seating Capacity	Driver + 1 Passenger
Wheel Size (Front & Rear)	90x 100 - 12in
Motor Details	BLDC Hub Motor
Front & Rear Brakes	ABS
Speedometer	LED Based Panel
Starting System	Electric Start
Motor Input Voltage	48V / 60V
Controller	BLDC 18T / 48V / 60V
Batteries	48V / 34AH
Batteries Type	Lithium
Ground Clearance	150mm

ACCESSORIES

First Aid Kit	Yes
Battery Clamping Kit	Yes
Helmet	Yes
ORVM	Yes
Foot mat	Yes
Leg Guard Set	Optional
Foot Rest	Optional

STATIX M2



www.statixelectrics.com



STATIX ELECTRIC

SPECIFICATION

Max Speed	65km/hr
Mileage@ 28AH Battery	120 kms/charge*
Seating Capacity	Driver + 1 Passenger
Wheel Size (Front & Rear)	90x 100 - 12in
Motor Details	BLDC Hub Motor
Front & Rear Brakes	ABS
Speedometer	LED Based Panel
Starting System	Electric Start
Motor Input Voltage	48V / 60V
Controller	BLDC 18T / 48V / 60V
Batteries	48V / 34AH
Batteries Type	Lithium
Ground Clearance	150mm

ACCESSORIES

First Aid Kit	Yes
Battery Clamping Kit	Yes
Helmet	Yes
ORVM	Yes
Foot mat	Yes
Leg Guard Set	Optional
Foot Rest	Optional

120





STATIX ELECTRIC

SPECIFICATION

Max Speed	65km/hr
Mileage@ 28AH Battery	120 kms/charge*
Seating Capacity	Driver + 1 Passenger
Wheel Size (Front & Rear)	90x 100 - 12in
Motor Details	BLDC Hub Motor
Front & Rear Brakes	ABS
Speedometer	LED Based Panel
Starting System	Electric Start
Motor Input Voltage	48V / 60V
Controller	BLDC 18T / 48V / 60V
Batteries	48V / 34AH
Batteries Type	Lithium
Ground Clearance	150mm

ACCESSORIES

First Aid Kit	Yes
Battery Clamping Kit	Yes
Helmet	Yes
ORVM	Yes
Foot mat	Yes
Leg Guard Set	Optional
Foot Rest	Optional

MEASTAR



www.statixelectrics.com



STATIX ELECTRIC



“Ride green – Ride electric!” 

TVISI ELECTRIC PVT. LTD.

-  Village Dhankot, Kheri Majra Road, Gurgaon, 122505
-  info@statixelectrics.com
-  www.statixelectrics.com
-  9667006839

FOLLOW US

-  [statix electrics](#)
-  [statix electrics](#)
-  [statix electrics](#)
-  [statix electrics](#)



www.statixelectrics.com