



STATIX ELECTRIC

TVISI
GROUP

“Zero Emissions - Zero Worries - Electric Scooters!”



LOW SPEED 2 WHEELER

www.statixelectrics.com



STATIX ELECTRIC

SPECIFICATION

Max Speed	50km/hr
Mileage@ 28AH Battery	70 kms/charge*
Seating Capacity	Driver + 1 Passenger
Wheel Size (Front & Rear)	90x 100 - 12in
Motor Details	1200 W BLDC Hub
Front & Rear Brakes	Double Disc
Speedometer	LED Based Panel
Starting System	Electric Start
Motor Input Voltage	48V / 60V
Controller	BLDC 18T / 48V / 60V
Batteries	12V / 28AH
Batteries Type	VRLA / Lithium
Ground Clearance	150mm

ACCESSORIES

First Aid Kit	Yes
Battery Clamping Kit	Yes
Helmet	Yes
ORVM	Yes
Foot mat	Yes
Leg Guard Set	Optional
Foot Rest	Optional

STATIX



www.statixelectrics.com



STATIX ELECTRIC

SPECIFICATION

Max Speed	50km/hr
Mileage@ 28AH Battery	70 kms/charge*
Seating Capacity	Driver + 1 Passenger
Wheel Size (Front & Rear)	90x 100 - 10in
Motor Details	BLDC Hub Motor
Front & Rear Brakes	ABS
Speedometer	LED Based Panel
Starting System	Electric Start
Motor Input Voltage	48V / 60V
Controller	BLDC 18T / 48V / 60V
Batteries	12V / 28AH
Batteries Type	VRLA / Lithium
Ground Clearance	150mm

ACCESSORIES

First Aid Kit	Yes
Battery Clamping Kit	Yes
Helmet	Yes
ORVM	Yes
Foot mat	Yes
Leg Guard Set	Optional
Foot Rest	Optional

STATIX M



www.statixelectrics.com



STATIX ELECTRIC

SPECIFICATION

Max Speed	50km/hr
Mileage@ 28AH Battery	70 kms/charge*
Seating Capacity	Driver + 1 Passenger
Wheel Size (Front & Rear)	90x 100 - 10in
Motor Details	BLDC Hub Motor
Front & Rear Brakes	ABS
Speedometer	LED Based Panel
Starting System	Electric Start
Motor Input Voltage	48V / 60V
Controller	BLDC 18T / 48V / 60V
Batteries	12V / 28AH
Batteries Type	VRLA / Lithium
Ground Clearance	150mm

ACCESSORIES

First Aid Kit	Yes
Battery Clamping Kit	Yes
Helmet	Yes
ORVM	Yes
Foot mat	Yes
Leg Guard Set	Optional
Foot Rest	Optional

STATIX M2



www.statixelectrics.com



STATIX ELECTRIC

SPECIFICATION

Max Speed	50km/hr
Mileage@ 28AH Battery	70 kms/charge*
Seating Capacity	Driver + 1 Passenger
Wheel Size (Front & Rear)	90x 100 - 12in
Motor Details	1200W BLDC Hub
Front & Rear Brakes	Double Disc
Speedometer	LED Based Panel
Starting System	Electric Start
Motor Input Voltage	48V / 60V
Controller	BLDC 18T / 48V / 60V
Batteries	12V / 28AH
Batteries Type	VRLA / Lithium
Ground Clearance	150mm

ACCESSORIES

First Aid Kit	Yes
Battery Clamping Kit	Yes
Helmet	Yes
ORVM	Yes
Foot mat	Yes
Leg Guard Set	Optional
Foot Rest	Optional

1200W



www.statixelectrics.com



STATIX ELECTRIC

SPECIFICATION

Max Speed	50km/hr
Mileage@ 28AH Battery	70 kms/charge*
Seating Capacity	Driver + 1 Passenger
Wheel Size (Front & Rear)	90x 100 - 10in
Motor Details	BLDC Hub Motor
Front & Rear Brakes	ABS
Speedometer	LED Based Panel
Starting System	Electric Start
Motor Input Voltage	48V / 60V
Controller	BLDC 18T / 48V / 60V
Batteries	12V / 28AH
Batteries Type	VRLA / Lithium
Ground Clearance	150mm

ACCESSORIES

First Aid Kit	Yes
Battery Clamping Kit	Yes
Helmet	Yes
ORVM	Yes
Foot mat	Yes
Leg Guard Set	Optional
Foot Rest	Optional

MEASTAR



www.statixelectrics.com



“Ride green – Ride electric!” 

TVISI ELECTRIC PVT. LTD.

-  Village Dhankot, Kheri Majra Road, Gurgaon, 122505
-  info@statixelectrics.com
-  www.statixelectrics.com
-  9667006839

FOLLOW US

-  [statix electrics](#)
-  [statix electrics](#)
-  [statix electrics](#)
-  [statix electrics](#)

